


Hemlok® 2241



English	Français	Deutsch	Italiano	Español
Protruding head	Tête bombée	Flachrundkopf	Testa tonda	Cabeza alomada
Body: Aluminium alloy* (2.5 % Mg) Natural	Corps: Alliage d'aluminium* (2.5% Mg) Brut	Hülse: Aluminium* (2.5 % Mg) Blank	Corpo: Lega di alluminio* (2.5% Mg) Nessuna finitura	Cuerpo: Aluminio* (2.5% Mg) Natural
Stem: Aluminium alloy** Natural	Tige: Alliage d'aluminium** Brut	Dorn: Aluminium** Blank	Gambo: Lega di alluminio** Nessuna finitura	Vástago: Aluminio** Natural

*: EN AW-5052, AlMg2.5

** : EN AW-7075 AlZn5.5MgCu



Ø	Ø		Ø B		ID	M	Ø B	D ₁	T	D ₂	kN ¹⁾	kN ¹⁾	Part No/ref	
	min.	max.	min.	max.										max.
6.4 (1/4")	1.50	3.50	6.7	6.9	12	13.7	13.4	2.7	12.2	3.4	5.0	2.7	02241-00812	
	2.80	4.80			13	15.0							6.0	02241-00813
	3.35	5.35			14	15.6							6.2	02241-00814
	4.80	6.80			15	17.0							6.5	02241-00815
	6.80	8.80			17	19.0							7.0	02241-00817
	8.80	10.80			19	21.0							7.0	02241-00819
	10.80	12.80			21	23.0							7.0	02241-00821

all dimensions in mm / en millimètres / alle Maße in mm / in millimetri / en milímetros

1) typical values / valeurs moyennes / typische Werte / Valori tipici / resistencias máximas recomendadas



An Acument™ Global Technologies Company

www.avdel-global.com

© 2007 Acument Intellectual Properties, LLC

Hemlok® is a trademark of Avdel UK Limited

03.2007

Data shown is subject to change without prior notice as a result of continuous product development and improvement policy.
Your local Avdel representative is at your disposal should you need to confirm latest information.